Supplemental Material 1: English translation of the staff questionnaire

	l ha	ave alı	eady filled this form
			want to participate to this survey
		you?	
		<u>.</u>	men
			women
2.	Wł	nat is v	vour age?
		-	ess than 15 years old
			5 to 19 years old
			0 to 25 years old
			6 to 34 years old
			5 to 44 years old
			5 to 54 years old
			5 to 64 years old
			5 to 75 years old
			Nore than 75 years old
3.	Δra		iving with a pregnant women (including yourself) or a young child (less than on
٥.		ar old)	
	,	_	es
			lo
			do not wish to answer
4.	WŁ		your job within the <i>Hospices Civils de Lyon:</i>
•		-	cal staff. Please precise:
		· · · · ·	
		_	medical staff. Please precise:
		C	
		C	
		C	
			tical staff. Please precise:
		C	•
		C	
		C	
		C	
		Tech	nical staff / security. Please precise:
		C	
		C	
		C	
		C	
		Admi	nistrative staff. Please precise:
		C	
		C	
		C	
		C	
		Scien	tific staff
			not wish to answer

5.	What k	kind of employment contract do you have?
		Temporary
		Permanent
		I do not wish to answer
6.	Do you	ı work by night (full-time or sometimes)?
		Yes
		No
		I do not wish to answer
7.	In daily	y life, do you self-estimating yourself as able to inform or counsel your relatives or
	colleag	ues about tobacco harms?
		Yes
		No
		I do not wish to answer
8.	Have y	ou ever been a cigarette smoker?
		Yes, I currently smoke
		Yes but I quitted for more than one year
		Yes but I quitted for less than one year
		No, never (or I have smoked less than 100 cigarettes during my lifetime)
If you a	answere	d "No" to the question 8 you can jump to question 13
9.	On ave	rage, how many cigarettes do you smoke per day?
		Less than 5
		Between 5 and 10
		Between 10 and 20
		Between 20 and 40
		More than 40
If you	quitted	smoking, you can jump to question 13
10.	Have y	ou ever tried to quit? (current smokers only)
		Yes, once
		Yes, twice,
		Yes, more than twice
		No
		I do not wish to answer
11.	Are yo	u willing to quit? (current smokers only)
		Yes
		No
		I do not wish to answer
12.		you consider that you currently feel symptom related to tobacco smoking? (current
	smoke	rs only)
		Yes
		No
	_	I do not wish to answer
13.		ou ever tried e-cigarette?
		Yes, I currently smoke
		Yes but I quitted for more than one year
		Yes but I quitted for less than one year
		No, never (or I used less than 1 bottle liquid during my all life)
-		ver smoked you can now send back this questionnaire
14.	_	ou are working at <i>Hospices Civils de Lyon</i> , did someone offer you help to quit
	smokir	ng? Please tick only one box
		Yes, my general practitioner

		Yes, occupational health doctor
		Yes, a colleague
		No
15.	Do yo	u think your work increases you tobacco smoking?
		No
		I do not want to answer
16.		e do you smoke more frequently?
		At work
	Ш	I do not wish to answer
Supple	mental	Material 2: English translation of the student questionnaire
		ot want to participate to this survey
1.	You ar	e:
		A men
_		A women
2.	Your a	
		Less than 15 years old
	_	15 to 19 years old
	_	26 to 34 years old
	_	45 to 54 years old
	_	65 to 75 years old
•	•	More than 75 years old
3.	-	u living with a pregnant women (including yourself) or a young child (less than one
	year o	Yes
	П	No
	П	I do not wish to answer
1	_	career are you following and what is your grade:
٠.	VVIIICII	Medicine
		o 1 st year or 2 nd Year
		o 3 rd or 4 th year
		o 5 th or 6 th year
	П	Midwife
	Ш	o 1 st year
		o i yeur

		o 2 nd year
		o 3 rd year
		o 4 th year
		Caregiver
		o 1 st year
		o 2 nd year
		o 3 rd year
		o 4 th year
		Nurse
		o 1 st year
		o 2 nd year
		o 3 rd year
		o 4 th year
		Health manager
		o 1 st year
		o 2 nd year
		o 3 rd year
		o 4 th year
		Imaging technician
		o 1 st year
		o 2 nd year
		o 3 rd year
		o 4 th year
		I do not wish to answer
5.	In daily	life, do you self-estimating yourself as able to inform or counsel your relatives or
	colleag	ues about tobacco harms?
		Yes
		No
		I do not wish to answer
6.	Have y	ou ever been a cigarettes smoker?
		Yes, I currently smoke
		Yes but I quitted for more than one year
		Yes but I quitted for less than one year
		No, never (or I have smoked less than 100 cigarettes during my all life)
If you	answere	d "No" to the question 6 you can jump to question 11.
7.	On ave	rage, how many cigarettes do you smoke per day:
		Less than 5
		Between 5 and 10
		Between 10 and 20
		Between 20 and 40
		More than 40
If you	quitted s	moking, you can jump to question 11.
8.	Have y	ou ever tried to quit ? (current smokers only)
		Yes, once
		Yes, twice
		Yes, more than twice
		No
		I do not wish to answer
9.	Are you	u willing to quit? (current smokers only)
		Yes

		No
		I do not wish to answer
10.	Would	you consider that you currently feel symptom related to tobacco smoking? (current
	smoke	rs only)
		Yes
		No
		I do not wish to answer
11.	Have y	ou ever tried e-cigarette:
		Yes, I currently smoke
		Yes but I quitted for more than one year
		Yes but I quitted for less than one year
		No, never (or I used less than 1 bottle liquid during my all life)
If you h	nave nev	ver smoked you can now send back this questionnaire
12.	Since y	ou are studying at Lyon University or Hospices Civils de Lyon, did someone offer you
	help to	quit smoking? Please tick only one box
		Yes, my general practitioner
		Yes, occupational health/university doctor
		Yes, a colleague or a teacher
		No
		I do not wish to answer
13.	Do you	think your studies increases you tobacco smoking:
		Yes
		No
		I do not want to answer
14.	Where	do you smoke more frequently:
		At home
		At school
		I do not wish to answer

Supplemental Material 3 – Proportion of current smokers in the two cohorts, as compared to their non-smokers (never and former) counterparts, and regarding different variables.

Variable	Category		nt smokers udent coh			nt smokers staff coho		Total				
		N	%*	P value	N	%*	P value	N	%*	P value		
0 1	Female	607	25.7%	0.40	1116	23.0%	<10-4	1723	23.9%	<10-4		
Gender	Male	239	25.9%	0.48	383	29.4%	<10-4	622	27.9%	<10-4		
	15-19	389	21.1%		12	54.5%		401	21.5%			
	20-25	366	33.2%		221	32.8%		587	33.1%			
	26-34	51	25.2%		433	28.1%		484	27.8%			
Age	35-44	26	29.9%	NC	370	26.5%	<10-4	396	26.7%	<10-4		
	45-54	11	29.7%		333	21.6%		344	21.8%			
	55-64				145	15.1%		145	15.0%			
	65-75				2	8.7%		2	8.7%			
Pregnant women /	No	761	25.3%	4.0	1160	24.1%	0.262	1921	24.6%	0.000		
young child at home	Yes	27	25.2%	1.0	154	26.3%		181	26.1%	0.383		
	Technic. security				71	25.8%	<10-4	71	25.8%			
	Administrative				216	22.8%		216	22.8%			
Staff accumation	Logistical				83	46.4%		83	46.4%	<10-4		
Staff occupation	Scientific				23	21.7%		23	21.7%	10-4		
	Medical				170	17.3%		170	17.3%			
	Paramedical				926	25.6%		926	25.6%			
Caragiyar tupa	Medical	553	21.9%	<10-4	170	17.3%	<10-4	723	20.6%	-10-4		
Caregiver type	Paramedical	286	38.6%	<10-4	926	25.6%	<10-4	1212	27.8%	<10-4		
	Category A				491	20.0%	<10-4	491	20.0%			
Staff category	Category B				305	21.1%		305	21.1%	<10-4		
	Category C				367	32.8%		367	32.8%			
Ctaff contract	Temporary				336	27.1%	0.020	336	27.1%	0.555		
Staff contract	Permanent				1050	24.1%	0.030	1050	24.1%	0.030		
Over weight we we	No overnight				1133	23.4%	40.4	1133	23.4%	46.4		
Overnight work	Overnight				359	28.9%	<10-4	359	28.9%	<10-4		
Self-estimate as well	No	123	30.2%	0.047	308	31.6%	-10 1	431	31.2%	-10.4		
informed on tobacco	Yes	662	24.6%	0.017	1108	22.5%	<10-4	1770	23.3%	<10-4		
C cigorotte ::::::	Never	587	20.2%	-10.4	1147	23.4%	0.000	1734	22.2%	-10.4		
E cigarette user	Ever	256	84.5%	<10-4	208	28.5%	0.003	464	44.9%	<10-4		

^{*} From the whole cohort (never + former + current smoker), missing and refusal excluded line per line.

Supplemental Material 4 – Willingness to quit smoking among current smokers in both cohorts and depending on some variables.

		Current smokers from the student cohort						rrent smok	ers from th	ne staff col	nort	Current smokers from both cohorts					
Variable	Category	Unwilling to quit		Willing to quit			Unwilling to quit		Willing to quit		Dyalua	Unwilling to quit		Willing to quit		Division	
		N=353	%	N=313	%	P value	N=515	%	N=669	%	P value	N=868	%	N=982	%	P value	
	Female	245	52,4%	223	47,6%	0,609	359	42,6%	483	57,4%	0.055	604	46,1%	706	53,9%	0.400	
Gender	Male	106	54,6%	88	45,4%	0,609	143	46,4%	165	53,6%	0,255	249	49,6%	253	50,4%	0,189	
	Missing	2		2			13		21			15		23			
	≤25	327	55,2%	265	44,8%		95	51,4%	90	48,6%		422	54,3%	355	45,7%		
	26-34	16	39,0%	25	61,0%		141	45,2%	171	54,8%		157	44,5%	196	55,5%		
A	35-44	6	31,6%	13	68,4%	0,004	111	38,1%	180	61,9%	0,051	117	37,7%	193	62,3%	<10-4	
Age	45-54	1	12,5%	7	87,5%		104	40,5%	153	59,5%		105	39,6%	160	60,4%		
	≥55	0					51	44,7%	63	55,3%		51	44,7%	63	55,3%		
	Missing	3		3			13		12			16		15			
	Administrative staff						67	40,1%	100	59,9%	0.440	67	40,1%	100	59,9%	<10-4	
	Technic, security staff						27	49,1%	28	50,9%		27	49,1%	28	50,9%		
	Logistical staff						28	42,4%	38	57,6%		28	42,4%	38	57,6%		
	Scientific staff						8	42,1%	11	57,9%	0,448	8	42,1%	11	57,9%		
Occupation	Medical staff						66	51,2%	63	48,8%		66	51,2%	63	48,8%		
	Paramedical staff						302	42,8%	404	57,2%		302 42,8% 404 57		57,2%	1		
	Medical student	251	60,0%	167	40,0%	40.4						251	60,0%	167	40,0%		
	Paramedical student	97	40,8%	141	59,2%	<10-4						97	40,8%	141	59,2%		
	Missing	5		5			17		25			22		30			
	Student	353	53,0%	313	47,0%		0		0			353	53,0%	313	47,0%		
Otaff acuturat	Temporary						122	45,7%	145	54,3%	0,472	122	45,7%	145	54,3%	0,001	
Staff contract	Permanent						341	43,2%	449	56,8%		341	43,2%	449	56,8%		
	Missing						52		75			52		75			

	No overnight						392	45,2%	476	54,8%		392	45,2%	476	54,8%	
O	Overnight						106	38,5%	169	61,5%	0,054	106	38,5%	169	61,5%	<10-4
Overnight work	Student	353	53,0%	313	47,0%							353	53,0%	313	47,0%	
	Missing	0		0			17		24			17		24		
	No	67	63,2%	39	36,8%	0.012	114	47,3%	127	52,7%	0,153	181	52,2%	166	47,8%	0.010
Information about tobacco	Yes	255	50,0%	255	50,0%	0,013	359	42,1%	493	57,9%		614	45,1%	748	54,9%	0,019
tobacco	Missing	31		19			42		49			73		68		
	<10	271	53,3%	237	46,7%	0,016	347	44,4%	434	55,6%	0,197	618	47,9%	671	52,1%	0,012
Number of	10-20	53	46,5%	61	53,5%		133	39,6%	203	60,4%		186	41,3%	264	58,7%	
cigarette smoked per day	>20	10	90,9%	1	9,1%		26	50,0%	26	50,0%		36	57,1%	27	42,9%	
	Missing	19		34			9		6			28		20		
	Never	193	72,8%	72	27,2%	<10-4	222	64,3%	123	35,7%	<10-4	415	68,0%	195	32,0%	<10-4
	Once	67	45,3%	81	54,7%		130	44,4%	163	55,6%		197	44,7%	244	55,3%	
Number of quitting attempt	Twice	41	42,7%	55	57,3%	<10-4	76	38,8%	120	61,2%		117	40,1%	175	59,9%	
anomp:	More than 2	25	22,7%	85	77,3%		73	22,6%	250	77,4%		98	22,6%	335	77,4%	
	Missing	27		20			14		13			41		33		
	No	269	59,9%	180	40,1%	<10-4	425	53,6%	368	46,4%	<10-4	694	55,9%	548	44,1%	<10-4
Feel with tobacco symptoms	Yes	79	39,1%	123	60,9%	<10-4	76	21,2%	282	78,8%	<10-4	155	27,7%	405	72,3%	
-,p.c	Missing	5		10			14		19			19		29		

^{© 2021} Grolleau E. et al.