

Supplementary Table 1. Characteristics of research participants by eligibility criteria, January to April 2020 ($N = 10533$).

	Screened ($N = 10533$)		Eligible to enroll, criteria 1 ($N = 54$)			Eligible to enroll, criteria 2 ($N = 164$)			Enrolled ($N = 48$)	
	<i>n</i>	%	<i>n</i>	%	<i>p</i>	<i>n</i>	%	<i>p</i>	<i>n</i>	%
Sex					.265			.830		
Female	5749	54.6	33	61.1		85	51.8		23	47.9
Male	4557	43.3	21	38.9		79	48.2		25	52.1
Other	45	0.4	-	-		-	-		-	-
Missing	182	1.7	-	-		-	-		-	-
Race and ethnicity					.578			.532		
Hispanic or Latino	1538	14.6	4	7.4		20	12.2		6	12.50
NH American Indian, Alaska Native	145	1.4	5	9.3		6	3.7		2	4.2
NH Native Hawaiian, Pacific Islander	62	0.6	2	3.7		5	3.0		1	2.1
NH Asian American	861	8.2	1	1.9		5	3.0		2	4.2
NH Black or African American	1981	18.8	12	22.2		40	24.4		12	25.0
NH White	5626	53.4	28	51.9		84	51.2		24	50.0
NH Other and mixed race	171	1.6	2	3.7		3	1.8		1	2.1
Missing	149	1.4	0	0		1	0.6		0	0
Age					_.4			_.4		
≤17 years	139	1.3	-	-		-	-		-	-
18-29 years	3510	33.3	54	100.0		164	100.0		48	100.0
30-39 years	2761	26.2	-	-		-	-		-	-
40-49 years	1830	17.4	-	-		-	-		-	-
50-59 years	1490	14.1	-	-		-	-		-	-
≥60 years	781	7.4	-	-		-	-		-	-
Missing	22	0.2	-	-		-	-		-	-
Highest educational degree					.155			.065		
Less than high school	128	3.6	7	13.0		10	6.1		3	6.25
High school graduate	594	16.9	18	33.3		65	39.6		16	33.3
Vocational school or some college	1433	40.8	29	53.7		89	54.3		29	60.4
College graduate or postgraduate	1295	36.9	-	-		-	-		-	-
Missing	60	1.7	-	-		-	-		-	-
Ineligible to answer question	7023									
Current school enrollment					.586			.017		
Yes	976	45.3	7	13.0		23	14.0		5	10.4

Other tobacco use²					-.4			.251		
Cigarettes only use	75	29.1	54	100		68	41.5		37	77.1
Combustibles only use	4	1.6	-	-		-	-		-	-
Non-combustibles only use	10	3.9	-	-		-	-		-	-
Combustibles and non-combustibles dual use	7	2.7	-	-		-	-		-	-
Cigarettes and combustibles dual use	6	2.3	-	-		-	-		-	-
Cigarettes and non-combustibles dual use	113	43.8	-	-		96	58.5		11	22.9
Poly use	41	15.9	-	-		-	-		-	-
Missing	2	0.8	-	-		-	-		-	-
Ineligible ³	10275									
Cessation aids use²					-.4			-.4		
Trying to quit on your own	181	70.2	54	100		164	100		48	100
Using any tobacco or nicotine delivery system	12	4.7	-	-		-	-		-	-
Using any smoking cessation complementary or alternative methods	4	1.6	-	-		-	-		-	-
Using any smoking cessation medications	1	0.4	-	-		-	-		-	-
Receiving any smoking cessation counseling support	2	0.8	-	-		-	-		-	-
Multiple resources (excluding quitting on own)	21	8.1	-	-		-	-		-	-
Missing	37	14.3	-	-		-	-		-	-
Ineligible	10275									

Beyond sex, race and ethnicity, and age, eligibility screening was terminated after the first reason for exclusion was met. Accordingly, the number of ineligible participants who were not asked screening questions increased with the progression of eligibility questionnaire.

NH= Non-Hispanic.

Bolded cells reflect significant p values at $<.05$ level.

¹Includes those who were not currently enrolled in school ($n = 1129$ for all screened participants, 47 for those eligible under criteria 1, and 141 for those eligible under criteria 2).

²Frequencies for total screened is 258 participants (i.e., those willing to quit within 6 months).

³Includes 299 participants not considering quitting beyond 30 days under criteria 1 and 200 participants not considering to quit beyond 6 months under criteria 2.

⁴Chi-square test is not computed when one variable is a constant.

© 2024 Wakeman M. and El-Toukhy S.